

Boat Manufactured By:

REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

www.regulatormarine.com

REGULATOR 31CC

Length	31' 4"
Beam	10' 4"
Dry Weight (Boat Mfr. Pub)	9,400 lbs
Maximum HP	850 hp
Fuel Capacity	300 gal
Weight as Tested	12,814 lbs

XF425XSA2 / LXF425XSA2

Horsepower	425 hp
Induction	DI/VCT/DOHC
Displacement	5.6L
Weight (Estimated)	952 lbs
Gear Ratio	1.79:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
Ventilation Plate Height	4" Above Boat Bottom

PROPELLER(S)

Series	XTO Offshore
Diameter x Pitch	16-1/8 x 22
Yamaha Part #	6GR-45934-10-00 / 6GS-45934-10-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	93° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 150 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_REG_31CC_TW_F425XCA_07-27-2020_OCC



Engine: Yamaha XF425XSA2 /

LXF425XSA2

Boat: Regulator 31CC

Configuration: Twin

Test Date: 26-Jul-2020



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.9	4.0	1.74
1500	9.3	5.7	1.64
2000	10.7	9.8	1.10
2500	14.8	15.0	0.99
3000	24.0	18.6	1.29
3500	34.1	23.4	1.46
4000	40.9	29.8	1.37
4500	46.7	39.0	1.20
5000	53.7	48.2	1.11
5500	59.6	62.9	0.95
6000	64.6	72.8	0.89
0-30 MPH: 8.89 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.

Boat Manufactured By:

REGULATOR

PO Box 49 • Edenton, NC 27932

(252) 482-3837

www.regulatormarine.com

REGULATOR 31CC

Length	31' 4"
Beam	10' 4"
Dry Weight (Boat Mfr. Pub)	10,323 lbs
Maximum HP	600 hp
Fuel Capacity	300 gal
Weight as Tested	13,303 lbs

F300XCA / LF300XCA

Horsepower	300 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	562 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
Ventilation Plate Height	4" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	15-1/4 x 19
Yamaha Part #	6CE-45970-20-00 / 6CF-45970-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	91° F / 85° F
Elevation (in feet above sea level)	0'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 150 gallons of fuel, 5 batteries, Seakeeper 2, safety and test equipment.

YPB#: PB_REG_31CC_TW_F300XCA_07-18-2019_OCC



Engine: Yamaha F300XCA / LF300XCA

Boat: Regulator 31CC

Configuration: Twin

Test Date: 17-Jul-2019



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.2	2.9	2.16
1500	8.7	4.7	1.84
2000	9.9	8.2	1.21
2500	11.7	12.3	0.95
3000	16.3	16.6	0.98
3500	26.0	21.2	1.23
4000	33.6	26.8	1.26
4500	39.3	36.2	1.09
5000	44.7	48.6	0.92
5500	50.0	55.8	0.90
5850	52.4	55.7	0.94
0-30 MPH: 11.42 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.