

PERFORMANCE BULLETIN



(252) 482-3837 www.regulatormarine.com

REGULATOR 34CC

33' 10" Length 10' 11" Beam Dry Weight (Boat Mfr. Pub) 11,550 lbs Maximum HP 900 hp Fuel Capacity 350 gal Weight as Tested 15.589 lbs

F300XCA / F300ECA / LF300XCA

Horsepower 300 hp Induction EFI/VCT/DOHC Displacement 4.2L Weight (Estimated) 562 - 575 lbs 1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position Ventilation Plate Height 3-1/2" Above Boat Bottom

PROPELLER(S)

Saltwater Series II™ Series Diameter x Pitch 6CE-45972-20-00 / 6CE-45972-20-00 / 6CF-45972-20-00 Yamaha Part # Propeller Material Polished Stainless Steel

TEST CONDITIONS

2 Number of People Air / Water Temperature 78° F / 80° F (Fahrenheit) Elevation (in feet above sea level) Wind Velocity 5-10 MPH

COMMENTS

Test weight includes 100 gallons of fuel, 6 batteries, Seakeeper 2, safety and test equipment

YPB#: PB_REG_34CC_TRI_F300_07-30-2019_OCC



Engine: Yamaha F300XCA / F300ECA /

LF300XCA

Boat: Regulator 34CC **Configuration:** Triple

Test Date: 29-Jul-2019



PERFORMANCE DATA

RPM	МРН	GPH	MPG
1000	7.3	4.2	1.76
1500	9.7	7.2	1.36
2000	11.7	11.9	0.99
2500	17.2	18.6	0.93
3000	27.0	23.6	1.14
3500	35.3	30.4	1.16
4000	40.7	41.2	0.99
4500	47.2	54.3	0.87
5000	52.6	71.4	0.74
5500	58.0	84.2	0.69
5900	61.0	84.8	0.72

0-30 MPH: 7.30 seconds

NOTICE TO CONSUMER

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performance sulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain tradents belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.



PERFORMANCE BULLETIN



{0:(252) 482-3837}

www.regulatormarine.com

REGULATOR 34CC

Length	33' 10"
Beam	10' 11"
Dry Weight (Boat Mfr.	11,550 lbs
Pub)	11,550 103
Maximum HP	900 hp
Fuel Capacity	350 gal
Weight as Tested	14,886 lbs

XF450XSA2 / LXF450XSA2

Horsepower	450 hp
Induction	DI/VCT/DOHC
Displacement	5.6L
Weight (Estimated)	963 - 963 lbs
Gear Ratio	1.79:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	4 1/4" Above Boat Bottom

PROPELLER(S)

Series	XTO Offshore
Diameter x Pitch	16-1/8 x 22
Yamaha Part #	6GR-45934-20-00 / 6GS-45934-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature	84° F / 82° F
(Fahrenheit)	84°F782°F
Elevation (in feet above	01
sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 160 gallons of fuel, 4 batteries, safety and test

YPB#: PB_REG_34 CC_TW_XF450XSA2_8-18-2023_OCC



Engine: Yamaha

XF450XSA2 / LXF450XSA2

Boat: Regulator 34CC

Configuration: Twin

Test Date: 18-Aug-2023



PERFORMANCE DATA

RPM	МРН	GPH	MPG
1000	6.6	3.7	1.78
1500	9.3	6.4	1.45
2000	11.0	10.7	1.03
2500	14.3	16.4	0.87
3000	22.8	21.5	1.06
3500	32.3	26.8	1.21
4000	38.8	36.4	1.07
4500	45.4	45.0	1.01
5000	51.2	57.4	0.89
5500	57.9	68.8	0.84
6000	60.0	75.8	0.79

0-20 MPH: 5.89 seconds

0-30 MPH: 9.87 seconds

NOTICE TO CONSUMER

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any reference to other companies or their products are for identification purposes only, and are not intended to be an